



**406
ARTHRITIS
CLINIC**

Get back to your 406 life!

INFUSION SUITE		PROLIA INJECTION ORDERS	
406 Arthritis Clinic LLC 2409 Arnold Ln Ste 9 Billings, MT 59102		Phone: 406-345-0211	Fax: 747-205-0742
PATIENT INFORMATION - Include Patient Demographics and Insurance Cards			
Name:		DOB:	
MEDICAL INFORMATION			
ICD10:		Patient Height:	
Patient Weight (kg):		Allergies:	
*Weigh patient prior to each infusion			
REQUIRED TESTING			
<input type="checkbox"/> Calcium: _____	<input type="checkbox"/> Creatinine Clearance <30: _____		
Additional labs:			
PREMEDICATIONS 30 minutes prior to starting			
<input type="checkbox"/> Acetaminophen:	<input type="checkbox"/> 325mg PO X1 <input type="checkbox"/> 500mg PO X1 <input type="checkbox"/> 650mg PO X1		
<input type="checkbox"/> Diphenhydramine:	<input type="checkbox"/> 25mg IVP X1 <input type="checkbox"/> 25mg PO X1 <input type="checkbox"/> 50mg IVP X1 <input type="checkbox"/> 50mg PO X1		
<input type="checkbox"/> Solumedrol:	<input type="checkbox"/> 40mg IV X1 <input type="checkbox"/> 100mg IV X1 <input type="checkbox"/> 125mg IV X1		
<input type="checkbox"/> Antihistamine:	<input type="checkbox"/> Cetirizine 10mg PO X1 <input type="checkbox"/> Loratadine 10mg PO X1		
<input type="checkbox"/> Additional PRN:			
PROLIA ORDERS			
<input type="checkbox"/> Prolia	60mg subcutaneous every 6 months X _____		
POST INJECTION			
<input type="checkbox"/> Discharge home			
Referring Provider Printed:			
Referring Provider Signature:		Date:	
Referring Provider Phone:		Referring Provider Fax:	
406 Provider Printed:			
406 Provider Signature:		Date:	

***Credentials must be included**

Injection Directions:

- Remove from the refrigerator and bring to room temperature 15-30 minutes prior to injection
- Inject in the thigh, abdomen (greater than 2" around navel), or outer area of upper arm
- **Latex Allergy/Sensitivity notice: Do not handle the gray needle cap on the single-dose prefilled syringe**
- Activate the Green safety guard after the injection

Nursing Considerations:

- Assess for any dental concerns. Notify MD of any upcoming dental procedures prior to injection
- Patient should be on oral calcium and vitamin D