



INFUSION SUITE		VYEPTI INFUSION ORDERS	
406 Arthritis Clinic LLC 2409 Arnold Ln Ste 9 Billings, MT 59102		Phone: 406-345-0211	Fax: 747-205-0742
PATIENT INFORMATION - Include Patient Demographics and Insurance Cards			
Name:		DOB:	
MEDICAL INFORMATION			
ICD10:		Patient Height:	
Patient Weight (kg):		Allergies:	
*Weigh patient prior to each infusion			
REQUIRED TESTING			
Additional labs:			
<input type="checkbox"/> Insert IV	<input type="checkbox"/> Access Port/PICC		
PREMEDICATIONS 30 minutes prior to starting			
<input type="checkbox"/> Acetaminophen:	<input type="checkbox"/> 325mg PO X1 <input type="checkbox"/> 500mg PO X1 <input type="checkbox"/> 650mg PO X1		
<input type="checkbox"/> Diphenhydramine:	<input type="checkbox"/> 25mg IVP X1 <input type="checkbox"/> 25mg PO X1 <input type="checkbox"/> 50mg IVP X1 <input type="checkbox"/> 50mg PO X1		
<input type="checkbox"/> Solumedrol:	<input type="checkbox"/> 40mg IV X1 <input type="checkbox"/> 100mg IV X1 <input type="checkbox"/> 125mg IV X1		
<input type="checkbox"/> Antihistamine:	<input type="checkbox"/> Cetirizine 10mg PO X1 <input type="checkbox"/> Loratadine 10mg PO X1		
<input type="checkbox"/> Additional PRN:			
VYEPTI ORDERS			
<input type="checkbox"/> Vyepti 100mg in 100mL NS over 30 minutes every 3 months X _____			
<input type="checkbox"/> Vyepti 300mg in 100mL NS over 30 minutes every 3 months X _____			
POST INFUSION			
<input type="checkbox"/> Flush IV line with NS. D/C IV.			
<input type="checkbox"/> Flush port with 5-10mL 0.9% NS. Lock port with Heparin 10u/mL IVP (based of size port). De-access port.			
<input type="checkbox"/> Discharge home			
Referring Provider Printed:			
Referring Provider Signature:		Date:	
Referring Provider Phone:		Referring Provider Fax:	
406 Provider Printed:			
406 Provider Signature:		Date:	

**Credentials must be included*

Infusion Directions:

- 100mg dosing: Withdraw 1mL of Vyepti and inject into a 100mL bag of NS
- 300mg dosing: Withdraw 3mL of Vyepti (3 vials) and inject into a 100mL bag of NS
- Gently invert to mix
- Infuse through a low protein binding 0.2 or 0.22 micron in-line filter tubing over 30 minutes